



ABBREVIATIONS: 2/1 RPC= slip 1 st to cn and hold in back, knit 2, p1 from cn, 2/1 LPC= slip 2 sts to cn and hold in front, p1, k2 from cn, 2/2 RC= slip 2 sts to cn and hold in back, k2, k2from cn, beg = beginning, BO= bind off, CO= cast on, dec = decrease, dpns = double pointed needles, inc = increase, k = knit, k2tog = knit 2 stitches together, M1L = make one left, M1R = make one right, patt = pattern, p = purl, pm = place marker, rem = remaining, rep = repeat, rnd = round, RS= right side, sm = slip marker, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), tog = together, WS = Wrong Side

Cable Strata Tee

Finished Measurements: 33 ½ (37 ½, 41 ¾, 45 ¾, 49 ½) (54, 57 ½, 61 ½, 65 ½)” bust circumference

Materials:

MC: Dye for Me Yak: 2 (2, 2, 3, 3) (3, 3, 4, 4) 100g skeins.

CC: Suri Stratus: 1(1, 1, 1, 1) (1, 2, 2, 2) 25g balls, color 14 taupe.

Gauge: 22 sts/32 rnds = 4” in stockinette on Size 5 needles, due to the nature of the Suri Stratus it is essential to wet block your swatch before measuring gauge.

Needles:

Size US 4/3.5 mm, and Size US 5/3.75mm
24 (24, 24, 24, 24) (32, 32, 32, 32)” circular needle,
Size US 4/3.5mm 16” circular needle.
Size US 4/3.5mm dpns

5 markers, 2 removable markers.

1x1 Ribbing worked in the round; multiple of 2 sts.

Rnd 1: *K1, p1; rep from * to end of rnd.
Repeat rnd 1 for pattern.

Pattern Rnds Worked in the Round

Join CC, cut MC, using CC only
Rnds 1-6: Knit 6 rnds.

Join MC, cut CC, using MC only

Rnd 7: Knit around.

Rnd 8: Purl around.

Rnds 9-10: Rep last 2 rnds once more.

Rnd 11: *K2, work cable pattern to m, sm knit to m, sm, work cable pattern, k2; rep from * once more.

Rnds 12-23: Continue in patt as established progressing through cable pattern rnds 2-13.

Rnd 24: Purl around.

Rnds 25-26: Rep last 2 rnds once more.

Cable Pattern in the rnd; worked over 10 sts.

Rnds 1, 2, 3, 4, 10, 11, 12, 13: [P2, k2] twice, p2.

Rnd 5: P2, 2/1 LPC, 2/1 RPC, p2.

Rnds 6, 8: P3, k4, p3.

ABBREVIATIONS: 2/1 RPC= slip 1 st to cn and hold in back, knit 2, p1 from cn, 2/1 LPC= slip 2 sts to cn and hold in front, p1, k2 from cn, 2/2 RC= slip 2 sts to cn and hold in back, k2, k2from cn, beg = beginning, BO= bind off, CO= cast on, dec = decrease, dpns = double pointed needles, inc = increase, k = knit, k2tog = knit 2 stitches together, M1L = make one left, M1R = make one right, patt = pattern, p = purl, pm = place marker, rem = remaining, rep = repeat, rnd = round, RS= right side, sm = slip marker, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), tog = together, WS = Wrong Side

Rnd 7: P3, 2/2 RC, p3.

Rnd 9: P2, 2/1 RPC, 2/1 LPC, p2.

Work Rnds 1-13 once.

Pattern Rows Worked Flat

Join CC, cut MC, using CC only

Rows 1, 3, 5: Knit.

Rows 2, 4, 6: Purl

Join MC, cut CC, using MC only

Rows 7, 8, 9, 10, 14, 15, 16: Knit.

Row 11: *K2, work cable pattern row 1 to m, sm knit to m, sm, work cable pattern row 1, k2; rep from * once more.

Row 12: *P2, work next cable pattern row to m, sm, purl to m, sm, work next cable pattern row to m, sm, p2; rep from * once more.

Rows 13-23: Continue in patt as established progressing through cable pattern rows 3-13.

Row 24, 25, 26: Knit.

Cable Pattern flat; worked over 10 sts.

Rows 1, 3, 11, 13: [P2, k2] twice, p2.

Rows 2, 4, 10, 12: [K2, p2] twice, k2.

Row 5: P2, 2/1 LPC, 2/1 RPC, p2.

Rows 6, 8: K3, p4, k3.

Row 7: P3, 2/2 RC, p3.

Row 9: P2, 2/1 RPC, 2/1 LPC, p2.

Work Rows 1-13 once.

Pattern Notes

Worked in the round from the bottom up this tee uses alternating bands of lace weight and fingering weight yarn. The cable pattern is worked only in the fingering weight bands and is worked twice on each side of the garment. Division for the fronts and back happen between the cable patterns which are then continued up the sides of the armholes. The neckline is finished with a band of 1x1 ribbing after the shoulders are seamed.

Pattern has length measurements and approx row amounts based on stated gauge, save time, and take time to check gauge.

Main Body

Using US Size 4/3.5mm and MC, CO 192 (214, 236, 258, 280) (304, 324, 346, 368) sts, join to work in the round and pm to indicate beg of rnd.

Bottom Band

Work 1x1 ribbing for 1”.

Change to US Size 5/3.75mm.

Next Rnd: K12, pm, k72 (83, 94, 105, 116) (128, 138, 149, 160) sts, pm, k24 sts, pm, knit to 12 sts before end of rnd, pm, knit to end.

Note: Extra markers are used during Rnds 11-22 of Pattern rnds, on all other rnds slip these markers as you come to them.

Next Rnd: Purl around.

Next Rnd: Knit around.

Next Rnd: Purl around.

Work Rnds 1-26 of Pattern Rnds Worked in the Round until piece measures 10 (10, 10 ½, 10 ½, 10 ¾) (11, 11, 11 ½, 11 ½)” from cast on edge, ending on an even rnd. Approx 72 (72, 76, 76, 78) (80, 80, 84, 84) additional rnds worked after ribbing at stated gauge, add length to garment here if desired, keeping in mind additional yarn may be needed.

Armhole Shaping Increase Rnd: *Work in pattern as est to m, sm, M1L, work in patt as est to m, M1R; rep from * once, work to end in patt as est. 196 (218, 240, 262, 284) (308, 328, 350, 372) sts.

Rep last rnd every 2nd rnd 7 more times progressing through pattern rnds as established and working increased stitches into pattern rnds (purl stitches on rnds 8, 10, 24, 26, and stockinette stitches on all other rnds. 224 (246, 268, 290, 312) (336, 356, 378, 400) sts.

Piece should measure approx 12 (12, 12 ½, 12 ½, 12 ¾) (13, 13, 13 ½, 13 ½)” from cast on edge. Make note of last Pattern Rnd worked.

Back

Row 1 (RS): Work even in pattern to second m (see Pattern Rows Worked Flat on previous page), sm, work 12 sts, CO 1 stitch using the backwards loop method, turn work.

Next Row (WS): K1, work next row of Pattern Rows Worked Flat to beg of rnd m, remove m, CO 1 stitch using the backwards loop method, turn work. 114

ABBREVIATIONS: 2/1 RPC= slip 1 st to cn and hold in back, knit 2, p1 from cn, 2/1 LPC= slip 2 sts to cn and hold in front, p1, k2 from cn, 2/2 RC= slip 2 sts to cn and hold in back, k2, k2from cn, beg = beginning, BO= bind off, CO= cast on, dec = decrease, dpns = double pointed needles, inc = increase, k = knit, k2tog = knit 2 stitches together, M1L = make one left, M1R = make one right, patt = pattern, p = purl, pm = place marker, rem = remaining, rep = repeat, rnd = round, RS= right side, sm = slip marker, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), tog = together, WS = Wrong Side

(125, 136, 147, 158) (170, 180, 191, 202) sts. Place rem 112 (123, 134, 145, 156) (168, 178, 189, 200) sts for Front onto waste yarn or a holder.

Cont in patt as est working flat (back and forth) over 114 (125, 136, 147, 158) (170, 180, 191, 202) sts for Back until piece measures 4 ½ (5, 5 ½, 6 ¼, 7 ¼) (8, 8 ¾, 9, 9 ¼)” inches from Row 1 of Back ending with a WS row. Approx 34 (38, 42, 48, 56) (62, 68, 70, 72) additional rows worked.

Shoulder Shaping

Row 1 (RS): BO 4 (4, 5, 6, 6) (7, 7, 8, 9) sts at beg of next 14 rows. BO 7 (11, 8, 6, 11) (9, 13, 11, 9) sts at beg of foll 2 rows. BO rem 44 (47, 50, 51, 52) (54, 56, 57, 58) sts, placing removable markers at beg and end of bind off.

Front

Move held 112 (123, 134, 145, 156) (168, 178, 189, 200) sts for Front onto needles, join yarn to work with RS facing.

Row 1 (RS): Work even in pattern to m, sm, work 12 sts, CO 1 stitch using the backwards loop method, turn work.

Next Row (WS): K1, p2, work next row of Cable Pattern worked flat, sm, purl to m, sm, work next row of Cable Pattern worked flat, p2, CO 1 stitch using the backwards loop method, turn work. 114 (125, 136, 147, 158) (170, 180, 191, 202) sts.

Cont in patt as est working flat (back and forth) over 114 (125, 136, 147, 158) (170, 180, 191, 202) sts for Front until piece measures 1 (1 ¼, 1 ¼, 2, 2 ¾) (3 ¼, 3 ¾, 4, 4)” from Row 1 of Front ending with a WS row. Approx 6 (8, 8, 14, 20) (24, 28, 30, 30) rows worked.

Neck Shaping and Shoulder shaping take place at the same time, read through all directions before beginning.

Left Neck Shaping

Dec Row 1 (RS): Work 54 (59, 65, 70, 76) (82, 87, 92, 98) sts in patt as established, ssk, k1, turn work. Place rem 57 (63, 68, 74, 79) (85, 90, 96, 101) sts onto holder or waste yarn.

Next Row (WS): K1, work to end in patt as est.

Dec Row 2 (RS): Work to last 3 sts, ssk, k1.

Rep Dec Row 2 every RS row 20 (21, 23, 23, 24)
(25, 26, 26, 27) more times. 35 (39, 43, 48, 53) (58,
62, 67, 72) sts.

AT SAME TIME

When piece measures 4 ½ (5, 5 ½, 6 ¼, 7 ¼) (8, 8 ¾,
9, 9 ¼)" inches from Row 1 of Front ending with a
WS row work Shoulder Shaping as below.

Shoulder Shaping

Row 1 (RS): BO 4 (4, 5, 6, 6) (7, 7, 8, 9) sts at beg of
next 7 rows. BO rem 7 (11, 8, 6, 11) (9, 13, 11, 9)
sts. Cut yarn leaving a 20" tail for seaming.

Right Neck Shaping

Join yarn to work across RS of rem 57 (63, 68, 74,
79) (85, 90, 96, 101) sts.

Sizes 37 ½ (45 ¾, 61 ½) only: BO 1 stitch, k1, k2tog,
work to end in patt.

Sizes 33 ½ (41 ¾, 49 ½, 54, 57 ½, 65 ½) only: K1,
k2tog, work to end in patt.

Next Row (WS): Work to last stitch in patt as est, k1.

Dec Row (RS): K1, k2tog, work to end in patt as
est.

Rep last Dec Row every RS row 20 (21, 23, 23, 24)
(25, 26, 26, 27) more times. 35 (39, 43, 48, 53) (58,
62, 67, 72) sts.

AT SAME TIME

When piece measures 4 ½ (5, 5 ½, 6 ¼, 7 ¼) (8, 8 ¾,
9, 9 ¼)" inches from Row 1 of Front ending with a
RS row work Shoulder Shaping as below.

Shoulder Shaping

Row 1 (RS): BO 4 (4, 5, 6, 6) (7, 7, 8, 9) sts at beg of
next 7 rows. BO rem 7 (7, 8, 6, 11) (9, 13, 11, 9) sts.
Cut yarn leaving a 20" tail for seaming.

Shoulder Extensions

Left Front

With RS facing and MC pickup and knit 35 (39, 43,
48, 53) (58, 62, 67, 72) sts.

Rows 1, 2, 3, 4, 5, 7, 9, 11, 13, 15, 17, 18, 19, 20:

Knit.

Rows 6, 8, 10, 12, 14, 16: Purl.

BO all stitches loosely on RS, cut yarn and fasten off
leaving a 20" tail.

ABBREVIATIONS: 2/1 RPC= slip 1 st to cn and hold in back, knit 2, p1 from cn, 2/1 LPC= slip 2 sts to cn and hold in front, p1, k2 from
cn, 2/2 RC= slip 2 sts to cn and hold in back, k2, k2from cn, beg = beginning, BO= bind off, CO= cast on, dec = decrease, dpns =
double pointed needles, inc = increase, k = knit, k2tog = knit 2 stitches together, M1L = make one left, M1R = make one right, patt =
pattern, p = purl, pm = place marker, rem = remaining, rep = repeat, rnd = round, RS= right side, sm = slip marker, ssk = slip 1 st as if to
knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), tog = together, WS = Wrong Side

Repeat Shoulder Extension for Right Front.

Repeat Shoulder Extension for Left Back and Right
Back picking up stitches between armhole edge and
removable markers left during back bind off.

Seam Fronts to back using tails from Front Shoulder
Extensions.

Neckband

Using MC and US Size 4/3.75mm 16" needles,
begin at right shoulder seam with RS facing,
pick up and knit 44 (47, 50, 51, 52) (54, 56, 57,
58) sts across back neck, 24 sts along left
shoulder extensions, 25 (28, 30, 34, 40) (44, 48,
50, 51) down left side of v-neck, then pick up
and knit 0 (1, 0, 1, 0) (0, 0, 1, 0) sts into bound
off center stitch (sizes with 0 indicated do not
have bound off center stitch), 44 (47, 50, 51, 52)
(54, 56, 57, 58) sts up right side of v-neck, and
24 sts along right shoulder extensions. 142 (152,
158, 168, 180) (190, 200, 206, 208) sts.

Rnd 1: Purl around.

Rnd 2: Knit to 3 sts before m, k2tog, k1, sm, k1 (2,
1, 2, 1) (1, 1, 2, 1), ssk, knit to end.

Rep Rnds 1-2 twice more.

Rep Rnd 1 once more.

BO all stitches knitwise.

Armhole Edges

Using US Size 4/3.5mm dpns pickup and knit 77
(83, 88, 96, 107) (116, 124, 127, 129) sts evenly
around armhole, join to work in the rnd and pm for
beg of rnd.

Rnds 1, 3, 5: Purl around.

Rnd 2, 4: Knit around.



BO all stitches knitwise.

Finishing




Work in any loose ends, steam block lightly to
measurements.

©2022 Plymouth Yarn Company 102022MJLNP.

Cable Pattern Flat



Cable Pattern in the Round



ABBREVIATIONS: 2/1 RPC= slip 1 st to cn and hold in back, knit 2, p1 from cn, 2/1 LPC= slip 2 sts to cn and hold in front, p1, k2 from cn, 2/2 RC= slip 2 sts to cn and hold in back, k2, k2from cn, beg = beginning, BO= bind off, CO= cast on, dec = decrease, dpns = double pointed needles, inc = increase, k = knit, k2tog = knit 2 stitches together, M1L = make one left, M1R = make one right, patt = pattern, p = purl, pm = place marker, rem = remaining, rep = repeat, rnd = round, RS= right side, sm = slip marker, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), tog = together, WS = Wrong Side



ABBREVIATIONS: 2/1 RPC= slip 1 st to cn and hold in back, knit 2, p1 from cn, 2/1 LPC= slip 2 sts to cn and hold in front, p1, k2 from cn, 2/2 RC= slip 2 sts to cn and hold in back, k2, k2from cn, beg = beginning, BO= bind off, CO= cast on, dec = decrease, dpns = double pointed needles, inc = increase, k = knit, k2tog = knit 2 stitches together, M1L = make one left, M1R = make one right, patt = pattern, p = purl, pm = place marker, rem = remaining, rep = repeat, rnd = round, RS= right side, sm = slip marker, ssk = slip 1 st as if to knit, slip a second st as if to knit, knit them together through the back loop, st(s) = stitch(es), tog = together, WS = Wrong Side